

EAST Search History

10/657488

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	125	privacy same index\$3 same content	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:11
L2	0	privacy same index\$3 same content same vector41	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:11
L3	0	privacy same index\$3 same content and vector41	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:11
L4	125	privacy same index\$3 same content	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:11
L5	44	privacy same index\$3 same content and @ad<"20030908"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:22
L6	0	passing adj3 (content near vector\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:23
L7	6	passing same (content near vector\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:23
L8	5	passing same (content near vector\$1)and @ad<"20030908"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:25

EAST Search History

L9	0	privacy-index\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:25
L10	12	privacy near index\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:25
L11	17588872	10and @ad<"20030908"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:25
L12	8	10 and @ad<"20030908"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:32
L13	18762	content near provider\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:28
L14	809	content near provider\$1 same index\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:28
L15	57	content near vector\$3 same index\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:29
L16	1	14 and 15	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:28

EAST Search History

L17	4	content near vector\$3 same index\$3 and privacy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:31
L18	57	content near vector\$3 same index\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:31
L19	38	18 and @ad<"20030908"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:32
L20	17	"content vector".ti. and @ad<"20030908"1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:39
L21	2708531	content naer vector\$1 and @ad<"20030908"1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:40
L22	970	content near vector\$1 and @ad<"20030908"1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:40
L23	8	(passing or distribut\$3) near3 content near vector\$1 and @ad<"20030908"1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:42


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) |

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Wed, 2 Jan 2008, 12:10:44 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display


Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- [#1](#) ((privacy-preserving index)<in>metadata)
- [#2](#) ((privacy-preserving index)<in>metadata)
- [#3](#) ((~content vector~)<IN>metadata)
- [#4](#) ((~content vector~)<in>metadata) and privacy
- [#5](#) ((~content vector~)<in>metadata) and privacy
- [#6](#) ((~content vector~ and index)<IN>metadata)
- [#7](#) ((content and vector and index and providers)<IN>metadata)
- [#8](#) ((content and vector and index and providers)<in>metadata)
- [#9](#) ((~conent providers~ and ~privacy groups~)<IN>metadata)
- [#10](#) ((~privacy groups~)<IN>metadata)
- [#11](#) ((privacy and groups)<IN>metadata)
- [#12](#) (((privacy and groups)<in>metadata)<AND>((privacy and groups)<in>metadata) and content and providers)
- [#13](#) (((privacy and groups)<in>metadata)<and>((privacy and groups)<in>metadata) and content and providers)<AND>(((privacy and groups)<in>metadata)<and>((privacy and groups)<in>metadata) and content and providers) and index and indexing)
- [#14](#) ((~privacy index~)<IN>metadata)
- [#15](#) ((privacy and index)<IN>metadata)
- [#16](#) ((content and vector)<IN>metadata)
- [#17](#) passing and ((content and vector)<in>metadata)

Clear Session History

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2007 IEEE -